



Maryland State Health Improvement Process (SHIP)


Objective 29a: Reduce drug and alcohol related intoxication deaths

Drug and alcohol related intoxication deaths include deaths resulting from recent ingestion or exposure to alcohol or another type of drug, including heroin, cocaine, phencyclidine (PCP), prescription opioids, benzodiazepines, methamphetamines and other prescribed and un-prescribed drugs. In 2011, there were 663 intoxication deaths in Maryland.

Measure added February 2013

Statistics and Goals

Measure: Rate of intoxication deaths (per 100,000 population)



Maryland Data Source: Maryland DHMH Vital Statistics Administration

Maryland SHIP	Year	Total	Black	Hispanic	White	SHIP 2014 Target
Baseline	2007-2011	11.9	10.4	4.3	13.4	11.3

webpage: <http://dhmh.maryland.gov/ship/>




Maryland State Health Improvement Process (SHIP)

Objective 29a: Reduce drug and alcohol related intoxication deaths

Local-Level Data

Measure: Rate of drug and alcohol related intoxication deaths (per 100,000 population)



Data Source: Maryland DHMH Vital Statistics Administration

County	2007-2011
State of Maryland	11.9
Allegany	14.4
Anne Arundel	13.5
Baltimore City	27.4
Baltimore County	15.6
Calvert	11.5
Caroline	15.1
Carroll	9.6
Cecil	24.0
Charles	9.7
Dorchester	11.2
Frederick	9.2
Garrett	7.4
Harford	15.1

County	2007-2011
Howard	5.7
Kent	11.9
Montgomery	4.4
Prince George's	5.9
Queen Anne's	12.6
Saint Mary's	7.9
Somerset	13.0
Talbot	9.8
Washington	13.0
Wicomico	10.6
Worcester	12.8

webpage: <http://dhmh.maryland.gov/ship/>



Maryland State Health Improvement Process (SHIP)

Data Details	Objective 29a: Reduce drug and alcohol related intoxication deaths
<u>National Data</u>	
Source	---
Year	---
<u>Maryland Data</u>	
Source	Maryland DHMH Vital Statistics Administration (VSA)
Year	
Baseline	2007-2011
Update	---
Calculation	
Numerator	Number of deaths as a result of recent ingestion or exposure to alcohol or another type of drug, including heroin, cocaine, phencyclidine (PCP), prescription opioids, benzodiazepines, methamphetamines and other prescribed and un-prescribed drugs.
Denominator	Number of persons (population)
Population source	Maryland DHMH Vital Statistics Administration (VSA)
Single year method	$(x/y) * 100,000$
Combined year method	Average number of deaths divided by total population for middle year
<u>Notes</u>	
Race/ethnicity	Race and Hispanic origin are reported separately. Data for persons of Hispanic origin are included in the data for each race group. Hispanic rates include all deaths to persons of Hispanic origin of any race.
Censoring	Rates not reported where the number of deaths was less than 20.
Origin	Data received from Maryland Office of Vital Statistics, Isabelle Horon and Hal Sommers, 1/2013
2014 Target	11.3 deaths per 100,000 population
2014 Target Rationale	5.5% improvement



Maryland State Health Improvement Process (SHIP)

Other	---
-------	-----